

**VOCAS**

*Vocas camera support system*

**RED**



[WWW.VOCAS.COM](http://WWW.VOCAS.COM)

This is a selection of the most important accessories: flags, filter frames etc, can

## MB-600 matte box

Full option high-end production matte box.

The MB-600 6,6" x 6,6" matte box is a revolutionary matte box with a modular design. Due to the modular design any combination is possible! Patented internal eyebrows and optional tilted filter for maximum lens flare reduction.

0600-0611 / 0600-0612 / 0600-0623

## MB-455 matte box

Full option high-end production matte box, two fully rotatable 4"x5,65" / 5.65"x5,65" filter frames, one non rotatable 4"x5,65" filter frame, one optional fixed 4"x5,65" filter frame in the hood, one 138 mm round filter (rotatable) in optional donut adapterring and a French flag. Max. lens diameter of 143 mm.

Patented internal eyebrows and optional tilted filter for maximum lens flare reduction.

0400-0455

## MB-436 matte box

Advanced matte box, one fully rotatable 4"x5,65" / 5.65"x5,65" filter frame, one non rotatable 4"x5,65" / 5.65"x5,65" filter frame, one fixed 4"x5,65" filter compartment in the hood, one 138 mm round filter (rotatable) in optional donut adapterring, and a French flag. Suitable for top and lower rails with fixed bars adapter. Swing away bracket for lower rails. Max. lens diameter of 143 mm.

Patented internal eyebrows for maximum lens flare reduction.

0400-0436

## MB-256 matte box

Advanced compact matte box, one fully rotatable 4"x4" filter frame, one non rotatable 4"x4" filter frame, and a French flag. Suitable for top and lower rails with fixed bars adapter. Swing away bracket for lower rails. Max. lens diameter of 114 mm.

Patented internal eyebrows for maximum lens flare reduction.

0200-0256

## VF bracket for RED viewfinders

This viewfinder bracket is designed for the RED DSMC2 viewfinder.

This bracket uses a NATO rail system to connect the camera to the viewfinder and prevents the viewfinder from "twisting", which can result in a crooked horizon of the image.

0700-0050

## Lens supports

### 19 mm Arri style lens support

Snap-on connection with tight lock. Adjustable height for optimal support. Y-stand with wheels for support of lenses without connection points. The kit includes 4 extra adapters for the different types of lens connections.

0480-0500

### 15 mm General lens support

The kit includes 4 extra adapters for the different types lens connections.

0360-0525

### 15 mm Arri style lens support

For large lenses with an Arri style lens stud.

0360-0550

## RED Epic 15 mm rail support

This 15 mm rail support is especially designed for the RED Epic and Scarlet cameras. It allows the use of 15 mm accessories on these cameras and can also act as a spacer for the Vocas BP-18, 19 mm rail support.

0350-0017

## BP-18 19 mm balance plate

This balance plate allows the use of 19 mm rails and precise calibration of the camera's centre of gravity on your tripod. Compatible with other industry standard balance plates. Including two pieces of 19 mm carbon rails, 400 mm in length.

0480-0018





ries, all other accessories such as adaptor rings, side  
n be found at [www.vocas.com](http://www.vocas.com).

## Vocas handgrip system

Based on the Arri style rosette and made from high grade materials.

Wooden handgrip right: **0390-0105**

Wooden handgrip left: **0390-0104**

Wooden handgrip right with built-in switch (excl. cable): **0390-0115**

Remote switch for use on leather handgrips or 19 mm tubes (excl. cable): **0390-0160**

Remote cable for RED: **0390-0158**

Handgrip combi rail bracket for 19 mm, 15 mm studio and 15 mm LW rails: **0390-0006**

Handgrip 15 mm rail bracket: **0390-0110**

Leather handgrip short: **0390-0004**

Leather handgrip long: **0390-0005**



or / VF holder  
Magic arm is 210mm  
Magic arm is 105mm

## Adjustable handgrip extender

This very solid adjustable extender can be adjusted in length from 165 mm to 235 mm.

**0390-0040**

## Double sided RED Handgrip Extender Short (66mm)

Equiped with RED style rosette on one side and a double sided ARRI rosette on the other side.

**0390-0015**

## USBP-15 MKII for RED

15 mm Universal shoulder base plate to convert RED cameras into a shoulder mounted camera. The USBP-15 MKII is a height adjustable shoulder base plate with a unique quick release balancing system to find optimal balance and stability with all kind of different lenses in combination with RED cameras.

**0350-2203**

## 15 mm Clamping block high for USBP-15 MKII

Higher clamping block for the USBP-15 MKII. This clamping block is needed for extremely high cameras such as the Red Raven, Epic, Scarlet and Weapon.

**0350-2210**

## Monitor supports

A monitor support that attaches directly to standard lightweight 15 mm rails and allows the use of a small monitor, external viewfinder or other accessory that can be mounted on a 1/4" screw. For accessories up to 1,5 kg.

**0350-0410** (Magic arm length: 210 mm)

**0350-0415** (Magic arm length: 105 mm)

## MFC-2S follow focus

Available with the innovative walnut palm support and a walnut focus knob. The technical specifications are among others, a modular design, different gear ratios (ENG, Cinema), reversible rotation direction and is highly adjustable for optimal personal comfort.

**0500-3000 / 0500-3010 / 0500-3100 / 0500-3110**

## MFC-6 follow focus

The new Vocas studio follow focus MFC-6 has a very big advantage compared to our competition, a self-adjusting drive arm! A high quality follow focus still can work poorly because of improper calibration. With the new Vocas self-adjusting drive arm this problem belongs to the past!

**0500-4010 / 0500-4011**



## Ready to use kits:

<b>0256-2010</b>	<b>Compact MB-256 matte box kit for any camera with 15 mm LW support. Consisting of:</b>
0200-0256	MB-256 matte box.
0250-0190	114 mm flexible cuff adapter ring. Max lens diameter: 110 mm.
0360-0100	Adjustable bars adapter for MB-2XX and MB-3XX series matte boxes.

<b>0436-2010</b>	<b>Advanced MB-436 matte box kit for any camera with 15 mm LW support. Consisting of:</b>
0400-0436	MB-436 matte box.
0420-0601	143 mm flexible donut adapter ring. Max lens diameter: 133 mm.
0460-0600	Swing away bracket for MB-216, MB-256 and MB-43X matte box.

<b>0455-2010</b>	<b>Advanced MB-455 matte box kit for any camera with 15 mm LW support. Consisting of:</b>
0400-0455	MB-455 matte box.
0420-0601	143 mm flexible donut adapter ring. Max lens diameter: 133 mm.
0460-0200	Swing away bracket for MB-455 matte box.

<b>0600-0623</b>	<b>MB-623 kit. Consists of:</b>
0620-0101	MB-600 front unit
0620-0201	MB-600 rear plate 165 mm
0620-0311	MB-600 single rotatable filter stage
0620-0312	MB-600 double rotatable filter stage
0640-0001	MB-600 filter frame 6,6" x 6,6" (3x)
0660-0100	MB-600 19 mm swing away
0630-0001	MB-600 donut adapter ring
0440-0001	Side flag kit for MB-455

<b>0500-4011</b>	<b>MFC-6 1:2 kit. Consists of:</b>
0500-1500	MFC-6 gear box 15 mm
0500-1201	MFC-2 knob standard (2x)
0500-1551	MFC-6 drive arm 1:2
0500-0601	MFC-2 drive gear M0,8/40 T.

<b>0500-3100</b>	<b>MFC-2S CINE kit. Consists of:</b>
0500-1201	MFC-2 knob standard.
0500-1110	MFC-2 gear unit 1:1.75 ratio.
0500-1010	MFC-2S 15 mm snap-on bracket.

<b>0500-3110</b>	<b>MFC-2S Limited Edition CINE kit. Consists of:</b>
0500-1211	MFC-2 knob wood.
0500-1110	MFC-2 gear unit 1:1.75 ratio.
0500-1010	MFC-2S 15 mm snap-on bracket.
0500-1300	MFC-2S palm support wood.
0500-0601	MFC-2 drive gear M0,8/40 T.

PO Box 191, 1200 AD, Hilversum, The Netherlands.  
Tel.: +31(0)35-6233707, Fax: +31(0)35-6233997  
e-mail: [info@vocas.com](mailto:info@vocas.com), Web: [www.vocas.com](http://www.vocas.com)

Your reseller:

Vocas products are made in Holland

See [www.vocas.com/where-to-buy](http://www.vocas.com/where-to-buy) for your local reseller.

March 2019

